

N1210-1

DIN 13


ISO 529




Material groups



CHARACTERISTICS



Technical drawing



Profile sketch



Tool data

| ID | D1 | Ø d1 | P | l1 | l2 | d2 | a | | |
|--------|---------|-------|-------|-------|------|-------|------|---|-------|
| 103343 | M24x1.5 | 24.00 | 1.500 | 120.0 | 30.0 | 18.00 | 14.0 | 4 | 22.50 |

Product range N1210-1 M24x1.5

| ID | D1 | Ø d1 | P | l1 | l2 | d2 | a | | |
|--------|----------|-------|-------|-------|------|-------|------|---|-------|
| 103308 | M12x1.5 | 12.00 | 1.500 | 89.0 | 24.0 | 9.00 | 7.1 | 3 | 10.50 |
| 103307 | M12x1.25 | 12.00 | 1.250 | 89.0 | 24.0 | 9.00 | 7.1 | 3 | 10.80 |
| 103305 | M12x1 | 12.00 | 1.000 | 89.0 | 24.0 | 9.00 | 7.1 | 3 | 11.00 |
| 103315 | M14x1.5 | 14.00 | 1.500 | 95.0 | 24.0 | 11.20 | 9.0 | 3 | 12.50 |
| 103314 | M14x1.25 | 14.00 | 1.250 | 95.0 | 24.0 | 11.20 | 9.0 | 3 | 12.80 |
| 103312 | M14x1 | 14.00 | 1.000 | 95.0 | 24.0 | 11.20 | 9.0 | 3 | 13.00 |
| 103322 | M16x1.5 | 16.00 | 1.500 | 102.0 | 32.0 | 12.50 | 10.0 | 4 | 14.50 |
| 103321 | M16x1 | 16.00 | 1.000 | 102.0 | 32.0 | 12.50 | 10.0 | 4 | 15.00 |
| 103327 | M18x1.5 | 18.00 | 1.500 | 112.0 | 30.0 | 14.00 | 11.2 | 4 | 16.50 |
| 103326 | M18x1 | 18.00 | 1.000 | 112.0 | 30.0 | 14.00 | 11.2 | 4 | 17.00 |
| 103334 | M20x1.5 | 20.00 | 1.500 | 112.0 | 37.0 | 14.00 | 11.2 | 4 | 18.50 |
| 103332 | M20x1 | 20.00 | 1.000 | 112.0 | 37.0 | 14.00 | 11.2 | 4 | 19.00 |
| 103340 | M22x1.5 | 22.00 | 1.500 | 115.0 | 32.0 | 16.00 | 12.5 | 4 | 20.50 |
| 103343 | M24x1.5 | 24.00 | 1.500 | 120.0 | 30.0 | 18.00 | 14.0 | 4 | 22.50 |
| 103346 | M26x1.5 | 26.00 | 1.500 | 120.0 | 30.0 | 18.00 | 14.0 | 4 | 24.50 |

| ID | D1 | Ø d1 | P | l1 | l2 | d2 | a |  |  |
|--------|---------|-------|-------|-------|------|-------|------|---|---|
| 103356 | M30x2 | 30.00 | 2.000 | 127.0 | 32.0 | 20.00 | 16.0 | 4 | 28.00 |
| 103355 | M30x1.5 | 30.00 | 1.500 | 127.0 | 32.0 | 20.00 | 16.0 | 4 | 28.50 |
| 103344 | M24x2 | 24.00 | 2.000 | 130.0 | 45.0 | 18.00 | 14.0 | 4 | 22.00 |
| 103351 | M27x2 | 27.00 | 2.000 | 135.0 | 45.0 | 20.00 | 16.0 | 4 | 25.00 |