


N5110

DIN 13


DIN EN 22568




CHARACTERISTICS

HSS


1.75 x P





Technical drawing





Profile sketch



Tool data

ID	D1	Ø d1	Tol	P	l1	d2		
124659	M1.1	1.10	6h	0.250	5.0	16.00	3	1.07

Product range N5110 M1.1 6h

ID	D1	Ø d1	Tol	P	l1	d2		
103851	M1	1.00	6h	0.250	5.0	16.00	3	0.97
124659	M1.1	1.10	6h	0.250	5.0	16.00	3	1.07
103852	M1.2	1.20	6h	0.250	5.0	16.00	3	1.17
103853	M1.4	1.40	6h	0.300	5.0	16.00	3	1.36
103855	M1.6	1.60	6g	0.350	5.0	16.00	3	1.54
103856	M1.7	1.70	6g	0.350	5.0	16.00	3	1.64
103857	M1.8	1.80	6g	0.350	5.0	16.00	3	1.74
103864	M2	2.00	6g	0.400	5.0	16.00	3	1.93
103867	M2.2	2.20	6g	0.450	5.0	16.00	3	2.13
103869	M2.3	2.30	6g	0.400	5.0	16.00	3	2.23
103872	M2.5	2.50	6g	0.450	5.0	16.00	3	2.43
103876	M2.6	2.60	6g	0.450	5.0	16.00	3	2.53
103879	M3	3.00	6g	0.500	5.0	20.00	3	2.92
103880	M3.5	3.50	6g	0.600	5.0	20.00	3	3.41
103881	M4	4.00	6g	0.700	5.0	20.00	3	3.91
103883	M5	5.00	6g	0.800	7.0	20.00	4	4.90
103884	M5.5	5.50	6g	0.900	7.0	20.00	4	5.40
103885	M6	6.00	6g	1.000	7.0	20.00	4	5.88

ID	D1	Ø d1	Tol	P	l1	d2		
103886	M7	7.00	6g	1.000	9.0	25.00	4	6.88
103887	M8	8.00	6g	1.250	9.0	25.00	4	7.87
103858	M10	10.00	6g	1.500	11.0	30.00	4	9.85
103859	M12	12.00	6g	1.750	14.0	38.00	4	11.83
103860	M14	14.00	6g	2.000	14.0	38.00	4	13.82
103861	M16	16.00	6g	2.000	18.0	45.00	4	15.82
103878	M20	20.00	6g	2.500	18.0	45.00	5	19.79