

# K413TC-3

DIN 13

DIN 376




**Material groups**

- 11
- 12
- 13
- 14
- 15
- 31
- 32
- 62
- 63
- 74


**CHARACTERISTICS**

TiCN
PM
< 3 x D
CLASSIC
>20 bar
SYNCHRO
2.5 x P

**Technical drawing**



**Profile sketch**



**Tool data**

| ID     | D1  | Ø d1  | Tol | P     | l1    | l2   | d2    | a   |   |       |
|--------|-----|-------|-----|-------|-------|------|-------|-----|---|-------|
| 170778 | M14 | 14.00 | 6HX | 2.000 | 110.0 | 28.0 | 11.00 | 9.0 | 3 | 12.00 |

**Product range K413TC-3 M14 6HX**

| ID     | D1  | Ø d1  | Tol | P     | l1    | l2   | d2    | a    |   |       |
|--------|-----|-------|-----|-------|-------|------|-------|------|---|-------|
| 165838 | M12 | 12.00 | 6HX | 1.750 | 110.0 | 24.0 | 9.00  | 7.0  | 3 | 10.20 |
| 170778 | M14 | 14.00 | 6HX | 2.000 | 110.0 | 28.0 | 11.00 | 9.0  | 3 | 12.00 |
| 170783 | M16 | 16.00 | 6HX | 2.000 | 110.0 | 30.0 | 12.00 | 9.0  | 4 | 14.00 |
| 170786 | M20 | 20.00 | 6HX | 2.500 | 140.0 | 36.0 | 16.00 | 12.0 | 5 | 17.50 |
| 170775 | M24 | 24.00 | 6HX | 3.000 | 160.0 | 39.0 | 18.00 | 14.5 | 5 | 21.00 |