

# GWI3066VS

DIN 13


DC




**Material groups**



**CHARACTERISTICS**



**Profile sketch**



**Tool data**

| ID     | D1  | Ø d1  | P     | l1    | l2  | l3 | d2    |   |       |
|--------|-----|-------|-------|-------|-----|----|-------|---|-------|
| 186818 | M20 | 13.95 | 2.500 | 135.0 | 5.0 | 55 | 14.00 | 6 | 17.50 |

**Product range GWI3066VS M20x2.5**

| ID     | D1   | Ø d1 | P     | l1   | l2  | l3   | d2   |   |      |
|--------|------|------|-------|------|-----|------|------|---|------|
| 186029 | M0.8 | 0.57 | 0.200 | 40.0 | 0.4 | 2.3  | 3.00 | 3 | 0.66 |
| 186030 | M0.9 | 0.64 | 0.225 | 40.0 | 0.5 | 2.6  | 3.00 | 3 | 0.74 |
| 186031 | M1   | 0.71 | 0.250 | 40.0 | 0.5 | 2.9  | 3.00 | 3 | 0.75 |
| 186032 | M1.2 | 0.91 | 0.250 | 40.0 | 0.5 | 3.4  | 3.00 | 3 | 0.95 |
| 186033 | M1.4 | 1.06 | 0.300 | 40.0 | 0.6 | 3.9  | 4.00 | 3 | 1.10 |
| 186034 | M1.6 | 1.20 | 0.350 | 40.0 | 0.7 | 4.5  | 4.00 | 3 | 1.25 |
| 186035 | M1.8 | 1.40 | 0.350 | 40.0 | 0.7 | 5    | 4.00 | 3 | 1.45 |
| 186036 | M2   | 1.54 | 0.400 | 40.0 | 0.8 | 5.6  | 4.00 | 3 | 1.60 |
| 194324 | M2.3 | 1.84 | 0.400 | 40.0 | 0.8 | 6.3  | 4.00 | 3 | 1.90 |
| 186037 | M2.5 | 1.98 | 0.450 | 40.0 | 0.9 | 6.9  | 4.00 | 3 | 2.05 |
| 194325 | M2.6 | 2.08 | 0.450 | 40.0 | 0.9 | 7.1  | 4.00 | 3 | 2.15 |
| 186038 | M3   | 2.43 | 0.500 | 51.0 | 1.0 | 8.4  | 5.00 | 4 | 2.50 |
| 186039 | M3.5 | 2.81 | 0.600 | 51.0 | 1.2 | 9.9  | 6.00 | 4 | 2.90 |
| 186040 | M4   | 3.20 | 0.700 | 51.0 | 1.4 | 11.3 | 6.00 | 4 | 3.30 |
| 186041 | M5   | 4.08 | 0.800 | 51.0 | 1.6 | 14   | 8.00 | 4 | 4.20 |

| ID     | D1  | Ø d1  | P     | l1    | l2  | l3   | d2    |  |  |
|--------|-----|-------|-------|-------|-----|------|-------|---|---|
| 186042 | M6  | 4.85  | 1.000 | 51.0  | 2.0 | 16.8 | 8.00  | 4   | 5.00  |
| 186043 | M8  | 5.95  | 1.250 | 75.0  | 2.5 | 23   | 6.00  | 5   | 6.80  |
| 186044 | M10 | 7.95  | 1.500 | 83.0  | 3.0 | 28   | 8.00  | 5   | 8.50  |
| 186045 | M12 | 9.95  | 1.750 | 95.0  | 3.5 | 34   | 10.00 | 5   | 10.20   |
| 186046 | M14 | 10.95 | 2.000 | 120.0 | 4.0 | 44   | 12.00 | 5   | 12.00   |
| 186817 | M16 | 10.95 | 2.000 | 120.0 | 4.0 | 44   | 12.00 | 5   | 14.00   |
| 186047 | M18 | 13.95 | 2.500 | 135.0 | 5.0 | 55   | 14.00 | 6   | 15.50   |
| 186818 | M20 | 13.95 | 2.500 | 135.0 | 5.0 | 55   | 14.00 | 6   | 17.50   |