


DN04

ISO 1502

DC SWISS



Profile sketch



Tool data

| ID | D1 | Ø d1 | Tol | P | l1 | l2 | d2 |
|--------|------|------|-----|-------|------|-----|------|
| 191453 | M1.6 | 1.60 | 6g | 0.350 | 24.0 | 2.4 | 6.00 |

Product range DN04 M1.6 6g

| ID | D1 | Ø d1 | Tol | P | l1 | l2 | d2 |
|--------|-------|------|-----|-------|------|-----|------|
| 192800 | M0.3 | 0.30 | 5h | 0.080 | 24.0 | 0.5 | 6.00 |
| 192801 | M0.35 | 0.35 | 5h | 0.090 | 24.0 | 0.5 | 6.00 |
| 192802 | M0.4 | 0.40 | 5h | 0.100 | 24.0 | 0.6 | 6.00 |
| 192803 | M0.5 | 0.50 | 5h | 0.125 | 24.0 | 0.8 | 6.00 |
| 192804 | M0.6 | 0.60 | 5h | 0.150 | 24.0 | 0.9 | 6.00 |
| 192805 | M0.7 | 0.70 | 5h | 0.175 | 24.0 | 1.1 | 6.00 |
| 192806 | M0.8 | 0.80 | 5h | 0.200 | 24.0 | 1.2 | 6.00 |
| 192807 | M0.9 | 0.90 | 5h | 0.225 | 24.0 | 1.4 | 6.00 |
| 191447 | M1 | 1.00 | 6h | 0.250 | 24.0 | 1.5 | 6.00 |
| 191448 | M1.2 | 1.20 | 6h | 0.250 | 24.0 | 1.8 | 6.00 |
| 191449 | M1.4 | 1.40 | 6h | 0.300 | 24.0 | 2.1 | 6.00 |
| 191453 | M1.6 | 1.60 | 6g | 0.350 | 24.0 | 2.4 | 6.00 |
| 191454 | M1.8 | 1.80 | 6g | 0.350 | 24.0 | 2.7 | 6.00 |
| 191455 | M2 | 2.00 | 6g | 0.400 | 24.0 | 3.0 | 6.00 |
| 191456 | M2.3 | 2.30 | 6g | 0.400 | 24.0 | 3.5 | 6.00 |
| 191457 | M2.5 | 2.50 | 6g | 0.450 | 24.0 | 3.8 | 6.00 |

| ID | D1 | Ø d1 | ToI | P | l1 | l2 | d2 |
|--------|------|------|-----|-------|------|-----|------|
| 191458 | M2.6 | 2.60 | 6g | 0.450 | 24.0 | 3.9 | 6.00 |