

RN05-1

ISO 1502

DC SWISS



CHARACTERISTICS



Profile sketch



Tool data

ID	D1	Ø d1	Tol	P	l1	l2	d2
191519	M2	2.00	6g	0.400	24.0	3.8	6.00

Product range RN05-1 M2 6g

ID	D1	Ø d1	Tol	P	l1	l2	d2
192884	M0.3	0.30	5h	0.080	24.0	0.6	6.00
192885	M0.35	0.35	5h	0.090	24.0	0.7	6.00
192886	M0.4	0.40	5h	0.100	24.0	0.8	6.00
192887	M0.5	0.50	5h	0.125	24.0	1.0	6.00
192888	M0.6	0.60	5h	0.150	24.0	1.2	6.00
192889	M0.7	0.70	5h	0.175	24.0	1.4	6.00
192890	M0.8	0.80	5h	0.200	24.0	1.6	6.00
192891	M0.9	0.90	5h	0.225	24.0	1.8	6.00
191499	M1	1.00	6h	0.250	24.0	2.0	6.00
191500	M1.2	1.20	6h	0.250	24.0	2.3	6.00
191501	M1.4	1.40	6h	0.300	24.0	2.7	6.00
191517	M1.6	1.60	6g	0.350	24.0	3.1	6.00
191518	M1.8	1.80	6g	0.350	24.0	3.4	6.00
191519	M2	2.00	6g	0.400	24.0	3.8	6.00
191520	M2.3	2.30	6g	0.400	24.0	4.3	6.00
191521	M2.5	2.50	6g	0.450	24.0	4.7	6.00

ID	D1	Ø d1	ToI	P	l1	l2	d2
191522	M2.6	2.60	6g	0.450	24.0	4.8	6.00