

CMS50

DIN 14


DC




Material groups




CHARACTERISTICS



Technical drawing



Profile sketch



Tool data

ID	D1	Ø d1	Tol	P	l1	l2	d2		
193641	M0.4	0.40	4H	0.100	32.0	1.5	1.50	3	0.32

Product range CMS50 M0.4 4H

ID	D1	Ø d1	Tol	P	l1	l2	d2		
193639	M0.3	0.30	4H	0.080	32.0	1.1	1.50	3	0.23
193640	M0.35	0.35	4H	0.090	32.0	1.3	1.50	3	0.28
193641	M0.4	0.40	4H	0.100	32.0	1.5	1.50	3	0.32
193642	M0.5	0.50	4H	0.125	32.0	1.9	1.50	3	0.41
193643	M0.6	0.60	4H	0.150	32.0	2.3	1.50	3	0.50
193644	M0.7	0.70	4H	0.175	32.0	2.6	1.50	3	0.58
193645	M0.8	0.80	4H	0.200	32.0	3.0	1.50	3	0.66
193646	M0.9	0.90	4H	0.225	32.0	3.4	1.50	3	0.74
193647	M1	1.00	4H	0.250	32.0	3.8	2.00	3	0.75
193648	M1.2	1.20	4H	0.250	32.0	4.5	2.00	3	0.95
193649	M1.4	1.40	4H	0.300	32.0	5.3	2.00	3	1.10
193650	M1.6	1.60	6H	0.350	32.0	6.0	2.00	3	1.25
193651	M1.8	1.80	6H	0.350	32.0	6.8	2.00	3	1.45
193652	M2	2.00	6H	0.400	39.0	7.5	3.00	3	1.60
193653	M2.3	2.30	6H	0.400	39.0	8.6	3.00	3	1.90

ID	D1	Ø d1	Tol	P	l1	l2	d2		
193654	M2.5	2.50	6H	0.450	39.0	9.4	3.00	3	2.05
193655	M2.6	2.60	6H	0.450	39.0	9.8	3.00	3	2.15