


S370VX-3

ISO 3161/ASME B1.15

DIN 371



CHARACTERISTICS



Profile sketch



Tool data

| ID | D1 | Ø d1 | Tol | P | l1 | l2 | l3 | d2 | a | | |
|--------|----------|------|-----|-------|------|-----|----|------|-----|---|------|
| 199019 | UNJC8-32 | 4.17 | 3B | 0.794 | 63.0 | 7.5 | 21 | 4.50 | 3.4 | 3 | 3.45 |

Product range S370VX-3 UNJC8-32 3B

| ID | D1 | Ø d1 | Tol | P | l1 | l2 | l3 | d2 | a | | |
|--------|------------|------|-----|-------|------|------|----|------|-----|---|------|
| 199018 | UNJC6-32 | 3.51 | 3B | 0.794 | 56.0 | 6.5 | 20 | 4.00 | 3.0 | 3 | 2.80 |
| 199019 | UNJC8-32 | 4.17 | 3B | 0.794 | 63.0 | 7.5 | 21 | 4.50 | 3.4 | 3 | 3.45 |
| 199020 | UNJC10-24 | 4.83 | 3B | 1.058 | 70.0 | 9.0 | 25 | 6.00 | 4.9 | 3 | 3.90 |
| 199021 | UNJC1/4-20 | 6.35 | 3B | 1.270 | 80.0 | 11.0 | 30 | 6.00 | 4.9 | 3 | 5.20 |