

RN05-3

ISO 1502

DC SWISS



CHARACTERISTICS



Profile sketch



Tool data

ID	D1	Ø d1	Tol	P	l1	l2	d2
199070	M2.2x0.25	2.20	4h	0.250	24.0	2.0	6.00

Product range RN05-3 M2.2x0.25 4h

ID	D1	Ø d1	Tol	P	l1	l2	d2
192985	M1.6x0.2	1.60	6h	0.200	24.0	1.6	6.00
192986	M1.8x0.2	1.80	6h	0.200	24.0	1.6	6.00
192987	M2x0.2	2.00	6h	0.200	24.0	1.6	6.00
192989	M2.2x0.2	2.20	6h	0.200	24.0	1.6	6.00
192993	M2.5x0.2	2.50	6h	0.200	24.0	1.6	6.00
199064	M1.6x0.2	1.60	4h	0.200	24.0	1.6	6.00
199066	M1.8x0.2	1.80	4h	0.200	24.0	1.6	6.00
199068	M2.2x0.2	2.20	4h	0.200	24.0	1.6	6.00
192991	M2.3x0.2	2.30	6h	0.200	24.0	1.6	6.00
199072	M2.3x0.2	2.30	4h	0.200	24.0	1.6	6.00
199076	M2.5x0.2	2.50	4h	0.200	24.0	1.6	6.00
199360	M2x0.2	2.00	4h	0.200	24.0	1.6	6.00
204982	M1.6x0.2	1.60	6g	0.200	24.0	1.6	6.00
204983	M1.8x0.2	1.80	6g	0.200	24.0	1.6	6.00
204984	M2x0.2	2.00	6g	0.200	24.0	1.6	6.00
204986	M2.2x0.2	2.20	6g	0.200	24.0	1.6	6.00

ID	D1	Ø d1	Tol	P	l1	l2	d2
204988	M2.3x0.2	2.30	6g	0.200	24.0	1.6	6.00
204990	M2.5x0.2	2.50	6g	0.200	24.0	1.6	6.00
204991	M2.5x0.25	2.50	6g	0.250	24.0	2.0	6.00
204989	M2.3x0.25	2.30	6g	0.250	24.0	2.0	6.00
204987	M2.2x0.25	2.20	6g	0.250	24.0	2.0	6.00
204985	M2x0.25	2.00	6g	0.250	24.0	2.0	6.00
199362	M2x0.25	2.00	4h	0.250	24.0	2.0	6.00
199358	M2.5x0.25	2.50	4h	0.250	24.0	2.0	6.00
199074	M2.3x0.25	2.30	4h	0.250	24.0	2.0	6.00
192992	M2.3x0.25	2.30	6h	0.250	24.0	2.0	6.00
199070	M2.2x0.25	2.20	4h	0.250	24.0	2.0	6.00
192994	M2.5x0.25	2.50	6h	0.250	24.0	2.0	6.00
192990	M2.2x0.25	2.20	6h	0.250	24.0	2.0	6.00
192988	M2x0.25	2.00	6h	0.250	24.0	2.0	6.00
191284	M1.4X0.2	1.40	4H	0.200	24.0	2.5	6.00
192984	M1.4X0.2	1.40	6H	0.200	24.0	2.5	6.00
192995	M2.5x0.35	2.50	6g	0.350	24.0	4.5	6.00
192996	M2.6x0.35	2.60	6g	0.350	24.0	4.6	6.00