

RN05-1

NIHS 06-12

DC SWISS



Caratteristiche



Disegno del profilo



Dati dell'utensile

ID	D1	Ø d1	Tol	P	l1	l2	d2
200877	S0.7	0.70	4g GO/GO	0.175	24.0	1.4	6.00

Famiglia di prodotti RN05-1 S0.7 4g GO/GO

ID	D1	Ø d1	Tol	P	l1	l2	d2
190961	S0.3	0.30	NIHS	0.080	24.0	0.6	6.00
191037	S0.3	0.30	NIHS NT	0.080	24.0	0.6	6.00
200870	S0.3	0.30	4g GO/GO	0.080	24.0	0.6	6.00
200893	S0.3	0.30	5h GO/GO	0.080	24.0	0.6	6.00
200894	S0.35	0.35	5h GO/GO	0.090	24.0	0.7	6.00
200871	S0.35	0.35	4g GO/GO	0.090	24.0	0.7	6.00
191038	S0.35	0.35	NIHS NT	0.090	24.0	0.7	6.00
190962	S0.35	0.35	NIHS	0.090	24.0	0.7	6.00
190963	S0.4	0.40	NIHS	0.100	24.0	0.8	6.00
191039	S0.4	0.40	NIHS NT	0.100	24.0	0.8	6.00
200872	S0.4	0.40	4g GO/GO	0.100	24.0	0.8	6.00
200895	S0.4	0.40	5h GO/GO	0.100	24.0	0.8	6.00
202150	S0.4	0.40	5h GO/GO LH	0.100	24.0	0.8	6.00
204373	S0.4	0.40	4g GO/GO LH	0.100	24.0	0.8	6.00
200896	S0.45	0.45	5h GO/GO	0.100	24.0	0.9	6.00
200873	S0.45	0.45	4g GO/GO	0.100	24.0	0.9	6.00

ID	D1	Ø d1	Tol	P	l1	l2	d2
200874	S0.5	0.50	4g GO/GO	0.125	24.0	1.0	6.00
191040	S0.5	0.50	NIHS NT	0.125	24.0	1.0	6.00
190964	S0.5	0.50	NIHS	0.125	24.0	1.0	6.00
200897	S0.5	0.50	5h GO/GO	0.125	24.0	1.0	6.00
203037	S0.5	0.50	4g GO/GO LH	0.125	24.0	1.0	6.00
203044	S0.5	0.50	5h GO/GO LH	0.125	24.0	1.0	6.00
200898	S0.55	0.55	5h GO/GO	0.125	24.0	1.1	6.00
200875	S0.55	0.55	4g GO/GO	0.125	24.0	1.1	6.00
200876	S0.6	0.60	4g GO/GO	0.150	24.0	1.2	6.00
190965	S0.6	0.60	NIHS	0.150	24.0	1.2	6.00
191041	S0.6	0.60	NIHS NT	0.150	24.0	1.2	6.00
200899	S0.6	0.60	5h GO/GO	0.150	24.0	1.2	6.00
203626	S0.6	0.60	4g GO/GO LH	0.150	24.0	1.2	6.00
203634	S0.6	0.60	5h GO/GO LH	0.150	24.0	1.2	6.00
203630	S0.7	0.70	4g GO/GO LH	0.175	24.0	1.4	6.00
203069	S0.7	0.70	5h GO/GO LH	0.175	24.0	1.4	6.00
200900	S0.7	0.70	5h GO/GO	0.175	24.0	1.4	6.00
191042	S0.7	0.70	NIHS NT	0.175	24.0	1.4	6.00
190966	S0.7	0.70	NIHS	0.175	24.0	1.4	6.00
200877	S0.7	0.70	4g GO/GO	0.175	24.0	1.4	6.00
200878	S0.8	0.80	4g GO/GO	0.200	24.0	1.6	6.00
190967	S0.8	0.80	NIHS	0.200	24.0	1.6	6.00
191043	S0.8	0.80	NIHS NT	0.200	24.0	1.6	6.00
200901	S0.8	0.80	5h GO/GO	0.200	24.0	1.6	6.00
203350	S0.8	0.80	5h GO/GO LH	0.200	24.0	1.6	6.00
204375	S0.8	0.80	4g GO/GO LH	0.200	24.0	1.6	6.00
204377	S0.9	0.90	4g GO/GO LH	0.225	24.0	1.8	6.00
200902	S0.9	0.90	5h GO/GO	0.225	24.0	1.8	6.00
191044	S0.9	0.90	NIHS NT	0.225	24.0	1.8	6.00
190968	S0.9	0.90	NIHS	0.225	24.0	1.8	6.00
200879	S0.9	0.90	4g GO/GO	0.225	24.0	1.8	6.00
204226	S0.9	0.90	5h GO/GO LH	0.225	24.0	1.8	6.00
204230	S1	1.00	5h GO/GO LH	0.250	24.0	2.0	6.00
200880	S1	1.00	4g GO/GO	0.250	24.0	2.0	6.00
190969	S1	1.00	NIHS	0.250	24.0	2.0	6.00
191045	S1	1.00	NIHS NT	0.250	24.0	2.0	6.00

ID	D1	Ø d1	Tol	P	l1	l2	d2
200903	S1	1.00	5h GO/GO	0.250	24.0	2.0	6.00
204379	S1	1.00	4g GO/GO LH	0.250	24.0	2.0	6.00
200904	S1.1	1.10	5h GO/GO	0.250	24.0	2.2	6.00
200881	S1.1	1.10	4g GO/GO	0.250	24.0	2.2	6.00
190973	S1.6x0.2	1.60	NIHS	0.200	24.0	2.2	6.00
190974	S1.8x0.2	1.80	NIHS	0.200	24.0	2.2	6.00
190975	S2x0.2	2.00	NIHS	0.200	24.0	2.2	6.00
190976	S2.2x0.2	2.20	NIHS	0.200	24.0	2.2	6.00
190978	S2.5x0.2	2.50	NIHS	0.200	24.0	2.2	6.00
191049	S1.6x0.2	1.60	NIHS NT	0.200	24.0	2.2	6.00
191050	S1.8x0.2	1.80	NIHS NT	0.200	24.0	2.2	6.00
191051	S2x0.2	2.00	NIHS NT	0.200	24.0	2.2	6.00
191052	S2.2x0.2	2.20	NIHS NT	0.200	24.0	2.2	6.00
200909	S1.6x0.2	1.60	5h GO/GO	0.200	24.0	2.2	6.00
200910	S1.8x0.2	1.80	5h GO/GO	0.200	24.0	2.2	6.00
200911	S2.2x0.2	2.20	5h GO/GO	0.200	24.0	2.2	6.00
200915	S2x0.2	2.00	5h GO/GO	0.200	24.0	2.2	6.00
191054	S2.5x0.2	2.50	NIHS NT	0.200	24.0	2.2	6.00
200913	S2.5x0.2	2.50	5h GO/GO	0.200	24.0	2.2	6.00
204708	S1.2	1.20	4g GO/GO LH	0.250	24.0	2.3	6.00
200905	S1.2	1.20	5h GO/GO	0.250	24.0	2.3	6.00
200882	S1.2	1.20	4g GO/GO	0.250	24.0	2.3	6.00
191046	S1.2	1.20	NIHS NT	0.250	24.0	2.3	6.00
190970	S1.2	1.20	NIHS	0.250	24.0	2.3	6.00
204712	S1.2	1.20	5h GO/GO LH	0.250	24.0	2.3	6.00
190972	S1.4x0.2	1.40	NIHS	0.200	24.0	2.5	6.00
191048	S1.4x0.2	1.40	NIHS NT	0.200	24.0	2.5	6.00
200908	S1.4x0.2	1.40	5h GO/GO	0.200	24.0	2.5	6.00
200906	S1.3	1.30	5h GO/GO	0.300	24.0	2.6	6.00
200883	S1.3	1.30	4g GO/GO	0.300	24.0	2.6	6.00
200884	S1.4	1.40	4g GO/GO	0.300	24.0	2.7	6.00
190971	S1.4	1.40	NIHS	0.300	24.0	2.7	6.00
191047	S1.4	1.40	NIHS NT	0.300	24.0	2.7	6.00
200907	S1.4	1.40	5h GO/GO	0.300	24.0	2.7	6.00
204710	S1.4	1.40	4g GO/GO LH	0.300	24.0	2.7	6.00
204714	S1.4	1.40	5h GO/GO LH	0.300	24.0	2.7	6.00

ID	D1	Ø d1	Tol	P	l1	l2	d2
200914	S2.5x0.25	2.50	5h GO/GO	0.250	24.0	2.8	6.00
191055	S2.5x0.25	2.50	NIHS NT	0.250	24.0	2.8	6.00
200912	S2.2x0.25	2.20	5h GO/GO	0.250	24.0	2.8	6.00
191053	S2.2x0.25	2.20	NIHS NT	0.250	24.0	2.8	6.00
190979	S2.5x0.25	2.50	NIHS	0.250	24.0	2.8	6.00
190977	S2.2x0.25	2.20	NIHS	0.250	24.0	2.8	6.00