

DN04

NIHS 06-12

DC SWISS



CHARACTERISTICS

LH

Profile sketch



Tool data

ID	D1	Ø d1	Tol	P	l1	l2	d2
204359	S0.8	0.80	4g GO LH	0.200	24.0	1.2	6.00

Product range DN04 S0.8 4g GO LH

ID	D1	Ø d1	Tol	P	l1	l2	d2
190885	S0.3	0.30	NIHS	0.080	24.0	0.5	6.00
190923	S0.3	0.30	NIHS NT	0.080	24.0	0.5	6.00
200720	S0.3	0.30	4g GO	0.080	24.0	0.5	6.00
200743	S0.3	0.30	5h GO	0.080	24.0	0.5	6.00
200744	S0.35	0.35	5h GO	0.090	24.0	0.5	6.00
200721	S0.35	0.35	4g GO	0.090	24.0	0.5	6.00
190924	S0.35	0.35	NIHS NT	0.090	24.0	0.5	6.00
190886	S0.35	0.35	NIHS	0.090	24.0	0.5	6.00
190887	S0.4	0.40	NIHS	0.100	24.0	0.6	6.00
190925	S0.4	0.40	NIHS NT	0.100	24.0	0.6	6.00
200722	S0.4	0.40	4g GO	0.100	24.0	0.6	6.00
200745	S0.4	0.40	5h GO	0.100	24.0	0.6	6.00
202707	S0.4	0.40	5h GO LH	0.100	24.0	0.6	6.00
204351	S0.4	0.40	4g GO LH	0.100	24.0	0.6	6.00
200746	S0.45	0.45	5h GO	0.100	24.0	0.7	6.00
200723	S0.45	0.45	4g GO	0.100	24.0	0.7	6.00

ID	D1	Ø d1	ToI	P	l1	l2	d2
200724	S0.5	0.50	4g GO	0.125	24.0	0.8	6.00
200747	S0.5	0.50	5h GO	0.125	24.0	0.8	6.00
190926	S0.5	0.50	NIHS NT	0.125	24.0	0.8	6.00
190888	S0.5	0.50	NIHS	0.125	24.0	0.8	6.00
204353	S0.5	0.50	4g GO LH	0.125	24.0	0.8	6.00
202990	S0.5	0.50	5h GO LH	0.125	24.0	0.8	6.00
200748	S0.55	0.55	5h GO	0.125	24.0	0.8	6.00
200725	S0.55	0.55	4g GO	0.125	24.0	0.8	6.00
200726	S0.6	0.60	4g GO	0.150	24.0	0.9	6.00
200749	S0.6	0.60	5h GO	0.150	24.0	0.9	6.00
190889	S0.6	0.60	NIHS	0.150	24.0	0.9	6.00
190927	S0.6	0.60	NIHS NT	0.150	24.0	0.9	6.00
204355	S0.6	0.60	4g GO LH	0.150	24.0	0.9	6.00
204365	S0.6	0.60	5h GO LH	0.150	24.0	0.9	6.00
204357	S0.7	0.70	4g GO LH	0.175	24.0	1.1	6.00
204246	S0.7	0.70	5h GO LH	0.175	24.0	1.1	6.00
190928	S0.7	0.70	NIHS NT	0.175	24.0	1.1	6.00
190890	S0.7	0.70	NIHS	0.175	24.0	1.1	6.00
200750	S0.7	0.70	5h GO	0.175	24.0	1.1	6.00
200727	S0.7	0.70	4g GO	0.175	24.0	1.1	6.00
200728	S0.8	0.80	4g GO	0.200	24.0	1.2	6.00
200751	S0.8	0.80	5h GO	0.200	24.0	1.2	6.00
190891	S0.8	0.80	NIHS	0.200	24.0	1.2	6.00
190929	S0.8	0.80	NIHS NT	0.200	24.0	1.2	6.00
204359	S0.8	0.80	4g GO LH	0.200	24.0	1.2	6.00
204367	S0.8	0.80	5h GO LH	0.200	24.0	1.2	6.00
204369	S0.9	0.90	5h GO LH	0.225	24.0	1.4	6.00
204361	S0.9	0.90	4g GO LH	0.225	24.0	1.4	6.00
190930	S0.9	0.90	NIHS NT	0.225	24.0	1.4	6.00
190892	S0.9	0.90	NIHS	0.225	24.0	1.4	6.00
200752	S0.9	0.90	5h GO	0.225	24.0	1.4	6.00
200729	S0.9	0.90	4g GO	0.225	24.0	1.4	6.00
200730	S1	1.00	4g GO	0.250	24.0	1.5	6.00
200753	S1	1.00	5h GO	0.250	24.0	1.5	6.00
190893	S1	1.00	NIHS	0.250	24.0	1.5	6.00
190931	S1	1.00	NIHS NT	0.250	24.0	1.5	6.00

ID	D1	Ø d1	ToI	P	l1	l2	d2
204363	S1	1.00	4g GO LH	0.250	24.0	1.5	6.00
204371	S1	1.00	5h GO LH	0.250	24.0	1.5	6.00
201029	S1.1	1.10	5h GO	0.250	24.0	1.7	6.00
200731	S1.1	1.10	4g GO	0.250	24.0	1.7	6.00
200732	S1.2	1.20	4g GO	0.250	24.0	1.8	6.00
200754	S1.2	1.20	5h GO	0.250	24.0	1.8	6.00
190932	S1.2	1.20	NIHS NT	0.250	24.0	1.8	6.00
190894	S1.2	1.20	NIHS	0.250	24.0	1.8	6.00
200764	S2x0.2	2.00	5h GO	0.200	24.0	1.8	6.00
190902	S2.5x0.2	2.50	NIHS	0.200	24.0	1.8	6.00
200762	S2.5x0.2	2.50	5h GO	0.200	24.0	1.8	6.00
190897	S1.6x0.2	1.60	NIHS	0.200	24.0	1.8	6.00
190898	S1.8x0.2	1.80	NIHS	0.200	24.0	1.8	6.00
190899	S2x0.2	2.00	NIHS	0.200	24.0	1.8	6.00
190900	S2.2x0.2	2.20	NIHS	0.200	24.0	1.8	6.00
200758	S1.6x0.2	1.60	5h GO	0.200	24.0	1.8	6.00
200759	S1.8x0.2	1.80	5h GO	0.200	24.0	1.8	6.00
200760	S2.2x0.2	2.20	5h GO	0.200	24.0	1.8	6.00
204696	S1.2	1.20	4g GO LH	0.250	24.0	1.8	6.00
204700	S1.2	1.20	5h GO LH	0.250	24.0	1.8	6.00
200755	S1.3	1.30	5h GO	0.300	24.0	2.0	6.00
200733	S1.3	1.30	4g GO	0.300	24.0	2.0	6.00
200734	S1.4	1.40	4g GO	0.300	24.0	2.1	6.00
200756	S1.4	1.40	5h GO	0.300	24.0	2.1	6.00
200757	S1.4x0.2	1.40	5h GO	0.200	24.0	2.1	6.00
190895	S1.4	1.40	NIHS	0.300	24.0	2.1	6.00
190896	S1.4x0.2	1.40	NIHS	0.200	24.0	2.1	6.00
190933	S1.4	1.40	NIHS NT	0.300	24.0	2.1	6.00
204702	S1.4	1.40	5h GO LH	0.300	24.0	2.1	6.00
204698	S1.4	1.40	4g GO LH	0.300	24.0	2.1	6.00
200761	S2.2x0.25	2.20	5h GO	0.250	24.0	2.3	6.00
190901	S2.2x0.25	2.20	NIHS	0.250	24.0	2.3	6.00
200763	S2.5x0.25	2.50	5h GO	0.250	24.0	2.3	6.00
190903	S2.5x0.25	2.50	NIHS	0.250	24.0	2.3	6.00